Dreams

AL Uminum Profiles Extrusion S.A.E

CONTENTS

Introduction	2
Technical	4
Specifications	6
Tractor Profiles List	8
Articular Profiles List	20
PS Profiles List	28
B - Profiles List	42
Kitchen Profiles List	52
Export Profiles List	70

Introduction

شـركة رائـدة فـي مجـال **إنتـاج قطـاعـات و أنظـمة الألومنيوم** بأيـدى مصرية حيث أننا نقوم بإنتاج قطاعات الألومنيوم و الرقائق و المواسير المطلية و غير المطليـة , لجميع الأغراض المختـلفة وإنتـاج و تصنـيع الاسطمـبات الخاصـة و المواسـير و غيـرها .

ومن هذا المنطلق وضعنا في إستراتيجية أعمالنا معايير الجودة العالمية كما نبذل قصارى جهدنا فى الابتكار والتميز وتسليم العمل لعملائنا بأعلى جودة ممكنة .

ونعتمد على أكبر أنـواع المكابس والأفـران والأنودة والعمالة المتخصصة كى نواكب كل ما هو جديد فى التصنيع أو التصميم لنظل دائماً فى الصدارة .

Leader in the **production sectors and systems aluminum** hands of Egypt, where we are producing aluminum sections and chips and coated and uncoated pipes, for all different purposes, production and special molds, pipes and other manufacturing.

With this in mind we have developed in our global quality standards strategy and do our best in innovation and excellence and deliver work to our customers the highest quality possible.

We depend on the larger types of presses, ovens, anodizing and employment specialist Ki keep up with all that is new in the manufacturing or design to remain always in the forefront.

الطاقة الإنتاجية

تقدر الطاقة الإنتاجية بـ ٢٥,٠٠٠ طن سنويا ويتوقع أن تصل إلى ٤٠,٠٠٠ طن سنويا بعد الانتهاء من المرحلة الثانية من خطوط الإنتاج واضافة المكبس الجديد بحلول نهاية عام ٢٠١٧ .

Prodaction company

Production capacity of 25,000 tons per year and is expected to reach 40,000 tons per year after the completion of the second phase of the production lines and the addition of new piston by the end of 2017.

Technical

أماكن التسويق :

السوق المحلية : ٧٠ ٪ من الإنتاج .

السوق الخارجية : ٣٠ ٪ من الإنتاج إلي الأردن والجزائر والمغرب لبنان.

وتسعى الشركة للتوسع في جميع الدول العربية للوصول إلي الأسواق العربية والأفريقية والأوربية .

Marketing places :

Domestic market: Go about 70% of production .

Foreign market: 30% of production to Jordan, Algeria, Morocco, Lebanon.

The company is seeking to expand in all the Arab countries to reach the Arab, African and European markets.

أنشطة المصنع : إنتاج الألومنيوم على النحو التالي:

الملامح المحلية والتصدير – الأبواب وملامح ويندوز واجهات – الملامح الخاصة للأنظمة المعمارية وإنتاج القطاعات الخاصة

Fcatory Activity: **Producing aluminium profiles as:**

Domestic & export profiles - Doors and Windows profiles and interfaces - Special profiles of the architectural systems and Production and private sectors

Specifications

Materials :

All aluminium Profiles are from extruded aluminium alloy 6063 according to American Standards ASTM B221 (B22 IM) - 02 - 2004 or German Standards (Din 1748 Part 1).

Alloy Components:

Silicon:	0.2 - 0.6%
Iron:	0.35%
Manganese:	0.10%
Magnesium:	0.45- 0.9%
Copper:	0.1%
Chromium:	0.1%
Zinc:	0.1%
Titanium:	0.05 - 0.1%
Aluminium:	All the rest

Finish :

All exposed surfaces of the aluminium profiles is treated either by anodizing treatment (according to DIN 17611) or by electrostatic Powder coating to meet international standards.

Anodizing treatment according to Din 17611 with thickness from 16 to 20 micron according to next standards :

Abrasion	A.S.T.M D-968-72
Acid	A.S.T.M D-3260-73
Detergent	A.S.T.M D-2248-73

Electronics powder coating to RAL Specifications with thickness more than more than 70 micron.

Technical features:

in all systems there are varieties available in types and dimensions. Tolerances in weight and dimensions are according to standard ANSI H35.2 TABLE5 or (Din 1747)

The profiles provide a large range of infill types and measures ,due to the availability of different profile types and a wide range of gaskets size. Glazing gaskets inside and outside of E.P.D.M. All-around ,gaskets profiles visually are in the same level inside and outside to enhance the gaskets visibility.

الجـــرار

Tractor Profile



Code	Profiles	Poids KG/m
AV 1227		0.708 KG/M
AV 1228		0.592 KG/M
AV 1322		0.945 KG/M
AV 1339		0.584 KG/M
AV 1339A		0.553 KG/M
AV 1340A		0.775 KG/M
AV 2322		0.646 KG/M
AV 2322A		0.792 KG/M
AV 1340		0.750 KG/M
AV 1339B		0.707 KG/M
AV 1340B		0.838 KG/M
AV 2322B		0.753 KG/M
AV 1381		1.378 KG/M

Code	Profiles	Poids KG/m
AV 1471		0.700 KG/M
AV 2471		1.037 KG/M
AV 2471A		1.056 KG/M
AV 1548		1.207 KG/M
AV 1547		0.945 KG/M
AV 1216		0.430 KG/M
AV 1219		0.385 KG/M
AV 1221		0.303 KG/M
AV 1515		0.270 KG/M
AV 1516		0.250 KG/M
AV 1503		0.180 KG/M
AV 116		0.400 KG/M
AV 1352		0.225 KG/M

Dreams
AL Uminum Profiles Extrusion S.A.E

Code	Profiles	Poids KG/m
AV 1210		0.675 KG/M
AV 1215		0.957 KG/M
AV 1285		0.192 KG/M
AV 1315		0.261 KG/M
AV 1338		0.461 KG/M
AV 1225		0.548 KG/M
AV 1226		0.518 KG/M
AV 1484		0.210 KG/M



AV 1227
POIDS 0.708 KG/M



AV 1228
POIDS 0.592 KG/M



AV 1322
POIDS 0. 945 KG/M



AV 1339
POIDS 0.584 KG/M



AV 1339A
POIDS 0.553 KG/M



AV 1340A
POIDS 0.775 KG/M



AV 2322
POIDS 0.646 KG/M



AV 2322B
POIDS 0.753 KG/M



AV 1381
POIDS 1.378 KG/M



AV 2322A
POIDS 0.792 KG/M



AV 1340
POIDS 0.750 KG/M



AV 1471
POIDS 0.700 KG/M



AV 2471
POIDS 1.037 KG/M



AV 1339B
POIDS 0.707 KG/M



AV 1340B
POIDS 0.838 KG/M



AV 2471A
POIDS 1.056 KG/M



AV 1548
POIDS 1.207 KG/M



AV 1547
POIDS 0.945 KG/M



AV 1216
POIDS 0.430 KG/M



AV 1219
POIDS 0.385 KG/M



AV 1221
POIDS 0.303 KG/M



AV 1515
POIDS 0. 270 KG/M



AV 1516
POIDS 0.250 KG/M



AV 1503
POIDS 0.180 KG/M



AV 116
POIDS 0.400 KG/M

AV 1352
POIDS 0.225 KG/M



AV 1210
POIDS 0.675 KG/M



AV 1215
POIDS 0.957 KG/M



AV 1285
POIDS 0.192 KG/M



AV 1315
POIDS 0.261 KG/M

AV 1388
POIDS 0.461 KG/M



AV 1225
POIDS 0.548 KG/M

AV 1226
POIDS 0.518 KG/M



AV 1484
POIDS 0.210 KG/M

Articular

Profile



المفصلي:

Dreams
AL Uminum Profiles Extrusion S A E

Code	Profiles	Poids KG/m
AV 1479		0.455 KG/M
AV 1497A		0.565 KG/M
AV 1369		0.300 KG/M
AV 1370		0.410 KG/M
AV 1371		0.436 KG/M
AV 1372		0.626 KG/M
AV 1373		0.595 KG/M
AV 1374		0.165 KG/M
AV 1453		0.292 KG/M
AV 1375		0.450 KG/M
AV 1376		0.815 KG/M
AV 1377A		1.107 KG/M
AV 1400		0.563 KG/M

Code	Profiles	Poids KG/m
AV 1409		0.435 KG/M
AV 1412		0.685 KG/M
AV 1413		0.600 KG/M
AV 1435		0.466 KG/M
AV 1370 B		0.440 KG/M



AV 1479
POIDS 0.631 KG/M



AV 1497A
POIDS 0.565 KG/M



AV 1372
POIDS 0.626 KG/M



AV 1370
POIDS 0.410 KG/M



AV 1371
POIDS 0.436 KG/M



AV 1369
POIDS 0.300 KG/M



AV 1373
POIDS 0.595 KG/M



AV 1374
POIDS 0.165 KG/M



AV 1453
POIDS 0.292 KG/M



AV 1375
POIDS 0.450 KG/M



AV 1376
POIDS 0.815 KG/M



AV 1377A
POIDS 1. 107 KG/M



AV 1400
POIDS 0.563 KG/M



AV 1409
POIDS 0.435 KG/M



AV 1412
POIDS 0.685 KG/M



AV 1413
POIDS 0.600 KG/M



AV 1435
POIDS 0.466 KG/M



AV 1370 B
POIDS 0.440 KG/M

PS 9600



Code	Profiles	Poids KG/m
PS 9601		0.975 KG/M
PS 9602		0.620 KG/M
PS 9603		0.450 KG/M
PS 9604		0.310 KG/M
PS 9604A		0.300 KG/M
AV 9606		0.400 KG/M
PS 9607		0.655 KG/M
PS 9623		0.285 KG/M
PS 9632		1.05 KG/M
PS 9642		1.260 KG/M



PS 9601
POIDS 0.950 KG/M



PS 9602
POIDS 0.895 KG/M



PS 9606
POIDS 0.470 KG/M



PS 9607
POIDS 0.655 KG/M



PS 9603
POIDS 0.450 KG/M



PS 9604
POIDS 0.300 KG/M



PS 9642
POIDS 1.400 KG/M



PS 9632
POIDS 1.05KG/M



PS 9604/A
POIDS 0.310 KG/M



PS 9623
POIDS 0.285 KG/M

Dreams
AL Ummah Profiles Extrusion S.A.E





PS 4800



Code	Profiles	Poids KG/m
PS 4802		0.575 KG/M
PS 4805		0.416 KG/M
PS 4807		0.554 KG/M
PS 4808		0.866 KG/M
PS 4809		0.590 KG/M
PS 4810		0.708 KG/M
PS 4811		0.200 KG/M
PS 4815		0.735 KG/M
PS 4816		0.794 KG/M
PS 4817		1.000 KG/M
PS 4820		0.840 KG/M
PS 4822		0.615 KG/M
PS 4823		0.680 KG/M



PS 4802
POIDS 0.575 KG/M



PS 4805
POIDS 0.416 KG/M



PS 4807
POIDS 0.554 KG/M



PS 4808
POIDS 0.886 KG/M



PS 4809
POIDS 0.590 KG/M



PS 4811
POIDS 0.200 KG/M



PS 4810
POIDS 0.708 KG/M



PS 4815
POIDS 0.735 KG/M



PS 4816
POIDS 0.694 KG/M



PS 4817
POIDS 1.000 KG/M



PS 4820
POIDS 0.840 KG/M



PS 4822
POIDS 0.615 KG/M



PS 4823
POIDS 0.680 KG/M



PS 6600



PS 5600

Code	Profiles	Poids KG/m
PS 5605		0.800 KG/M
PS 5606		0.765 KG/M
PS 5611		0.15 KG/M

PS 6600

Code	Profiles	Poids KG/m
PS 6600		0.700 KG/M
PS 6601		0.800 KG/M
PS 6602		0.538 KG/M
PS 6606		0.350 KG/M
PS 6607		0.750 KG/M
PS 6621		1.050 KG/M
PS 6622		0.800 KG/M
PS 6648		0.795 KG/M



PS 5605
POIDS 0.800 KG/M



PS 5606
POIDS 0.765 KG/M



PS 5611
POIDS 0.15 KG/M

PS 6600



PS 6600
POIDS 0.700 KG/M



PS 6601
POIDS 0.800 KG/M



PS 6602
POIDS 0.538 KG/M



PS 6606
POIDS 0.350 KG/M



PS 6607
POIDS 0.750 KG/M



PS 6621
POIDS 1.050 KG/M



PS 6648
POIDS 0.795 KG/M



PS 6622
POIDS 0.800 KG/M

B 600- M200

Profile



Dreams
AL Uminum Profiles Extrusion S.A.E

Code	Profiles	Poids KG/m
MSH 3		0.275 KG/M
MSH 4		0.485 KG/M
MSH 5		0.510 KG/M
MSH 6		0.600 KG/M
MSH 7		0.500 KG/M
MSH 8		0.700 KG/M
MSH 8/B		0.660 KG/M
MSH 9		0.807 KG/M
MSH 9/B		0.785 KG/M
MSH 10		0.845 KG/M
MSH 11		1.110 KG/M
MSH 11/B		1.000 KG/M
MSH 22		0.770 KG/M

Code	Profiles	Poids KG/m
MSH 23		1.50 KG/M
MSH 27		0.530 KG/M
MSH 29		0.745 KG/M
MSH 33		0.325 KG/M



MSH 3
POIDS 0.275 KG/M



MSH 4
POIDS 0.485 KG/M



MSH 5
POIDS 0.510 KG/M



MSH 6
POIDS 0.600 KG/M



MSH 7
POIDS 0.500 KG/M

Dreams
AL Umman Profiles Extrusion S.A.E



MSH 8
POIDS 0.700 KG/M



MSH 8B
POIDS 0.660 KG/M



MSH 9
POIDS 0.807 KG/M



MSH 9B
POIDS 0.785 KG/M



MSH 10
POIDS 0.845 KG/M



MSH 11
POIDS 1.110 KG/M



MSH 11B
POIDS 1.000 KG/M



MSH 23
POIDS 1.50 KG/M



MSH 22
POIDS 0.485 KG/M



MSH 27
POIDS 0.530 KG/M



MSH 29
POIDS 0.745 KG/M



MSH 33
POIDS 0.325 KG/M

Dreams
AL Uminum Profiles Extrusion S.A.E

Code	Profiles	Poids KG/m
P 201		0.415 KG/M
P 202		0.620 KG/M
P 204		0.550 KG/M
P 207		0.405 KG/M
P 207/B		0.600 KG/M
P 208		0.405 KG/M
P 209		0.550 KG/M
P 222		0.165 KG/M
P 210		0.555 KG/M
P 212		0.665 KG/M



P201
POIDS 0.415 KG/M



P204
POIDS 0.550 KG/M



P202
POIDS 0.620 KG/M



P207
POIDS 0.405 KG/M



P207 B
POIDS 0.600 KG/M



P208
POIDS 0.405 KG/M



P209
POIDS 0.550 KG/M



P210
POIDS 0.555 KG/M



P212
POIDS 0.665 KG/M



P222
POIDS 0.165 KG/M

STANDARD

Kitchen Profile



Dreams
AL Uminum Profiles Extrusion S.A.E

Code	Profiles	Poids KG/m
MJ 106		0.190 KG/M
H 2212		0.220 KG/M
H 2214		0.310 KG/M
MJ 122		0.255 KG/M
AV 33		0.238 KG/M
MJ 120		0.365 KG/M
MJ 111		0.410 KG/M
MG 121		0.432 KG/M
P 6714		0.372 KG/M
H 2329		0.285 KG/M
H 2324		0.430 KG/M
H 2333		0.637 KG/M
H 2321		0.750 KG/M

Code	Profiles	Poids KG/m
H 2320		0.878 KG/M
AV 06		0.350 KG/M
AV 06 B		0.470 KG/M
AV 09		0.468 KG/M
AV 01		0.235 KG/M
AV 02		0.265 KG/M
AV 03		0.299 KG/M
AV 04		0.352 KG/M
AV 07		0.265 KG/M
AV 22		0.330 KG/M
AV 25		0.270 KG/M
AV 28		0.360 KG/M
AV 32		0.528 KG/M

Code	Profiles	Poids KG/m
AV 571		0.365 KG/M
AV 572		0.340 KG/M
AV 27		0.058 KG/M
AV 29		0.085 KG/M
AV 1000		0.300 KG/M
AV 23		0.082 KG/M
AV 24		0.113 KG/M
P 6713A		0.315 KG/M
P 6715		0.375 KG/M
AV 05		0.416 KG/M
AV 08		0.366 KG/M
AV 010		0.408 KG/M
AV 011		0.295 KG/M

Code	Profiles	Poids KG/m
AV 020		0.400 KG/M
AV 030		0.310 KG/M
AV 040		0.400 KG/M
AV 041		0.335 KG/M
AV 400		0.365 KG/M
AV 700		0.651 KG/M
AV 900		0.535 KG/M
AV 026		0.270 KG/M
P 6710		0.401 KG/M
IC 01		0.303 KG/M
P 6716		0.087 KG/M
IC 02		0.164 KG/M
C 10		0.370 KG/M

Dreams
AL Uminum Profiles Extrusion S.A.E

Code	Profiles	Poids KG/m
U 617		0.077 KG/M
U 613		0.146 KG/M
AV 101		0.123 KG/M
AV 102		0.096 KG/M
AV 103		0.086 KG/M
F 3214		0.078 KG/M
F 3229		0.105 KG/M
F 3228		0.132 KG/M
F 3221		0.160 KG/M
F 3224		0.213 KG/M
F 3225		0.270 KG/M

Code	Profiles	Poids KG/m
U 613		0.140 KG/M
U 616		0.150 KG/M
U 50/25		0.235 KG/M
AV 1378		0.355 KG/M
AV 1379		0.442 KG/M
AV 5050		1.100 KG/M
P 6414		0.275 KG/M



MJ 106
POIDS 0.190 KG/M



MJ 122
POIDS 0.255 KG/M



H 2212
POIDS 0.220 KG/M



AV 33
POIDS 0.238 KG/M



H 2214
POIDS 0.310 KG/M



MJ 120
POIDS 0.365 KG/M



MJ 111
POIDS 0.410 KG/M



MJ 121
POIDS 0.432 KG/M



P 6714
POIDS 0.372 KG/M



H 2329
POIDS 0.285 KG/M



AV 06
POIDS 0.350 KG/M

AV 06 B
POIDS 0.470 KG/M

AV 09
POIDS 0.468 KG/M



H 2324
POIDS 0.430 KG/M



H 2333
POIDS 0.637 KG/M



H 2321
POIDS 0.750 KG/M



H 2320
POIDS 0.878 KG/M



AV 01
POIDS 0.235 KG/M



AV 02
POIDS 0.265 KG/M



AV 03
POIDS 0.299 KG/M



AV 04
POIDS 0.352 KG/M



AV 07
POIDS 0.265 KG/M



AV 22
POIDS 0.330 KG/M



AV 25
POIDS 0.270 KG/M



AV 28
POIDS 0.360 KG/M



AV 32
POIDS 0.528 KG/M



AV 571
POIDS 0.365 KG/M



AV 572
POIDS 0.340 KG/M



AV 27
POIDS 0.058 KG/M



AV 29
POIDS 0.085 KG/M



AV 1000
POIDS 0.300 KG/M



P 6713 A
POIDS 0.315 KG/M



P 6715
POIDS 0.375 KG/M



AV 05
POIDS 0.416 KG/M



AV 08
POIDS 0.366 KG/M



AV 30
POIDS 0.310 KG/M



AV 11
POIDS 0.295 KG/M



AV 20
POIDS 0.400 KG/M



AV 400
POIDS 0.365 KG/M



AV 40
POIDS 0.400 KG/M



AV 041
POIDS 0.355 KG/M



AV 700
POIDS 0.651 KG/M



AV 900
POIDS 0.535 KG/M



AV 26
POIDS 270 KG/M



P6710
POIDS 0.401 KG/M



IC 01
POIDS 0.303 KG/M



P 6716
POIDS 0.087 KG/M



C 10
POIDS 0.370 KG/M

IC 02
POIDS 0.164 KG/M



U 617
POIDS 0.077 KG/M



U 613
POIDS 0.146 KG/M



AV 101
POIDS 0.123 KG/M



AV 102
POIDS 0.096 KG/M



AV 103
POIDS 0.086 KG/M



F 3214
POIDS 0.078 KG/M



F 3229
POIDS 0.105 KG/M



F 3228
POIDS 0.401 KG/M



F 3221
POIDS 0.160 KG/M



F 3224
POIDS 0.213 KG/M



F 3225
POIDS 0.270 KG/M



U 613
POIDS 0.140 KG/M



U 616
POIDS 0.150 KG/M



U 50/50
POIDS 235 KG/M



AV 1378
POIDS 0.355 KG/M



AV 1379
POIDS 0.442 KG/M



P 6414
POIDS 0.275 KG/M



H 5050
POIDS 1.100 KG/M

Dreams
AL Uminum Profiles Extrusion S.A.E

Code	Profiles	Poids KG/m
HR 1003		0.290 KG/M
HR 1031		1.246 KG/M
HR 1032		1.330 KG/M
HR 1040		1.000 KG/M
HR 1042		1.000 KG/M
HR 1050		0.400 KG/M
HR 8085		0.307 KG/M



HR 1003
POIDS 0.290 KG/M



HR 1031
POIDS 1.246 KG/M



HR 1040
POIDS 1.000 KG/M



HR 1042
POIDS 1.000 KG/M



HR 1050
POIDS 0.400 KG/M



HR 1032
POIDS 1.330 KG/M



HR 8085
POIDS 0.307 KG/M

EXPORT Profile

Dreams
AL Uminum Profiles Extrusion S.A.E

Code	Profiles	Poids KG/m
MR 25		0.190 KG/M
MR 31		1.752 KG/M
MR 32		1.061 KG/M
MR 33		0.522 KG/M
MR 34		0.918 KG/M
MR 40		0.361 KG/M
MR 401		0.691 KG/M
MR 402		0.541 KG/M
MR 403		0.541 KG/M
MR 404		0.451 KG/M
MR 405		0.532 KG/M
MR 406		0.502 KG/M
MR 420		0.530 KG/M

Code	Profiles	Poids KG/m
MR 422		0.522 KG/M
MR 423		0.448 KG/M
MR 424		0.455 KG/M
MR 425		0.045 KG/M
SR 1		0.216 KG/M
MR 4000		0.492 KG/M
MR 4001		0.531 KG/M
MR 4002		0.578 KG/M
MR 4003		0.578 KG/M
MR 4004		0.697 KG/M
MR 4005		0.697 KG/M
MR 4006		0.417 KG/M
MR 4007		0.357 KG/M

Code	Profiles	Poids KG/m
MR 4010		0.186 KG/M
FO 1		0.990 KG/M
FO 2		0.983 KG/M
FO 3		0.678 KG/M
FO 4		0.771 KG/M
FO 5		0.597 KG/M
FO 6		0.858 KG/M

Dreams
AL Ummah Profiles Extrusion S.A.E



MR 25
POIDS 0.190 KG/M



MR 31
POIDS 1.752 KG/M



MR 32
POIDS 1. 061 KG/M



MR 404
POIDS 0.451 KG/M



MR 405
POIDS 0.532 KG/M



MR 406
POIDS 0. 502 KG/M



MR 33
POIDS 0.522 KG/M



MR 34
POIDS 0.918 KG/M



MR 40
POIDS 0.361 KG/M



MR 420
POIDS 0.530 KG/M



MR 422
POIDS 0.522 KG/M



MR 423
POIDS 0.448 KG/M



MR 401
POIDS 0.619 KG/M



MR 402
POIDS 0.541 KG/M



MR 403
POIDS 0.514 KG/M



MR 424
POIDS 0.455 KG/M



SR 1
POIDS 0.541 KG/M



MR 4000
POIDS 0.492 KG/M

Dreams
AL Ummah Profiles Extrusion S.A.E



MR 4001
POIDS 0.531 KG/M



MR 4002
POIDS 0.578 KG/M



MR 4003
POIDS 0. 578 KG/M



FO 2
POIDS 0.983 KG/M



FO 3
POIDS 0.678 KG/M



MR 4004
POIDS 0.697 KG/M



MR 4005
POIDS 0.697 KG/M



MR 4006
POIDS 0.417 KG/M



FO 5
POIDS 0.597 KG/M



FO 4
POIDS 0. 771 KG/M



MR 4007
POIDS 0.357 KG/M



MR 4010
POIDS 0.186 KG/M



FO 1
POIDS 0.990 KG/M



FO 6
POIDS 0.858 KG/M

Dreams
AL Uminum Profiles Extrusion S.A.E

Code	Profiles	Poids KG/m
SP 506		0.197 KG/M
SP 515		0.558 KG/M
SP 519		0.605 KG/M
SP 520		0.661 KG/M
SP 523		0.165 KG/M
SP 544		0.097 KG/M
SP 544		0.977 KG/M
SP 602		0.497 KG/M



SP 506
POIDS 0.197 KG/M



SP 515
POIDS 0.558 KG/M



SP 519
POIDS 0.605 KG/M



SP 520
POIDS 0.661 KG/M



SP 523
POIDS 0.165 KG/M



SP 544
POIDS 0.097 KG/M



SP 601
POIDS 0.977 KG/M



SP 602
POIDS 0.497 KG/M



WEIGHT
POIDS 0.858 KG/M



WEIGHT
POIDS 1.300 KG/M



WEIGHT
POIDS 0.841 KG/M



WEIGHT
POIDS 0.821 KG/M



WEIGHT
POIDS 0.400 KG/M



WEIGHT
POIDS 0.750 KG/M



WEIGHT
POIDS 0.225 KG/M



WEIGHT
POIDS 0.195 KG/M



WEIGHT
POIDS 0.955 KG/M



WEIGHT
POIDS 1.150 KG/M



WEIGHT
POIDS 0.895 KG/M



BN 1003
WEIGHT 0.390 KG/M



BN 1006
WEIGHT 0.280 KG/M



BN 1008
WEIGHT 0.550 KG/M



BN 1009
WEIGHT 0.775 KG/M



BN 1021
WEIGHT 0.490 KG/M



BN 1022
WEIGHT 0.480 KG/M



BN 1024
WEIGHT 0.455 KG/M



BN 1031
WEIGHT 0.925 KG/M



BN 1032
WEIGHT 0.630 KG/M



BN 1059
WEIGHT 0.550 KG/M

Dreams

AL Uminum Profiles Extrusion S.A.E